



PRINCIPAL PARTICULARS

LOA: 5.0 m
 LENGTH: 4.80 m
 BEAM: 2.0 m
 DEPTH: 1.1 m
 DRAFT: 0.23m (HULL)
 D/RISE: 15° @ TRAN.
 DISPL: 680kg DRY -w- 70HP
 ENG: 20" (LONG)



4.80m RUNABOUT GENERAL ARRANGEMENT



Note: Layout can be customised by owner
Owner Advised to provide sun protection

AUSTRALIAN BUILDERS PLATE

BUILDER *"YOUR NAME"*

HIN AU- *"SEE REGISTRATION"*

Max \uparrow = 90 hp

Max \uparrow = 140 kg

Max \uparrow 4 = 360 kg

Max \uparrow + \uparrow + \uparrow = 575 kg


Buoyancy **BASIC** Flotation

! Alteration of the boat's hull or permanent fittings may invalidate the particulars on this plate.

A REDUCTION IN MAXIMUM NUMBER OF PERSONS MUST BE MADE IN ADVERSE WEATHER CONDITIONS OR WHEN ON THE OPEN SEA.

- Design in compliance with AS1799-1 2009
- Structure in accordance with ISO 12215
- material:
 - All plating 4mm 5083 aluminium.
 - All extrusions 6061 aluminium
- Builders plate, Jig, Drawings & Photo CD included with kit.
- Bollards, Scuppers, Inspection port & Drain plug included in the kit.
- 5 days per week helpdesk available
- Customization available.
- Flotation foam & most fit out parts available, check catalogue for pricing.
- HIN number engraved in kit & registered.

ACTUAL KIT MIGHT DIFFER FROM PICTURES SHOWN



www.platealloy.com