





5.8m CENTRE CAB GENERAL ARRANGEMENT

PRINCIPAL PARTICULARS

LOH: 5.80 m (Hull Only)
 LOA: 6.12 m (Excluding Outboard)
 BEAM: 2.35m
 DEPTH: 1.37m
 DRAFT: 0.35m (HULL)
 D/RISE: 15° @ TRAN.
 DISPL: 1100kg DRY -w- 150HP
 ENG: 25" (XL SHAFT)
 RATED: 150 HP MAX.
 Boat hull to be foam filled.



ACTUAL KIT MIGHT DIFFER FROM PICTURES SHOWN




PLATE ALLOY

www.platealloy.com

Note: Layout can be customised by owner
 Owner Advised to provide sun protection

AUSTRALIAN BUILDERS PLATE

BUILDER "YOUR NAME"

HIN AU "SEE REGISTRATION"

Max 7 = 170 hp
 = 250 kg

Max 6 = 480 kg

Max 7 + 7 + 7 = 880 kg

Buoyancy BASIC Flotation

Alteration of the boat's hull or permanent fittings may invalidate the particulars on this plate.

A REDUCTION IN MAXIMUM NUMBER OF PERSONS MUST BE MADE IN ADVERSE WEATHER CONDITIONS OR WHEN ON THE OPEN SEA.

- Design in compliance with AS1799-1 2009
- Structure in accordance with ISO 12215
- material:
 - Bottom, Chine, Transom & Stringers, 5mm 5083 aluminium.
 - Sides, Deck, etc.. 4mm 5083 Aluminium
- Builders plate, Jig, Drawings & Photo CD included with kit.
- Bollards, Scuppers, Inspection port & Drain plug included in the kit.
- 5 days per week helpdesk available
- Customization available.
- Flotation foam & most fit out parts available, check catalogue for pricing.
- HIN number engraved in kit & registered.

5.8 Centre Cab



PLATE ALLOY

www.platealloy.com

