


**PRINCIPAL PARTICULARS**

LOH: 6.20 m (Hull Only)  
 BEAM: 2.35m  
 DEPTH: 1.11m  
 DRAFT: 0.350m (HULL)  
 D/RISE: 16° @ TRAN.  
 DISPL: 1500kg DRY -w- 150HP

Boat hull to be foam filled.



Note: Layout can be customised by owner  
 Owner Advised to provide sun protection

**6.2m CUDDY CABIN  
 GENERAL ARRANGEMENT**



ACTUAL KIT MIGHT DIFFER FROM PICTURES SHOWN

**AUSTRALIAN BUILDERS PLATE**

BUILDER **"YOUR NAME"**

HIN AU- **"SEE REGISTRATION"**

Max **7** = **180 hp**  
 = **275 kg**

Max **5** = **400 kg**

Max **7+1+1+1** = **739 kg**

Buoyancy **BASIC** Flotation

**!** Alteration of the boat's hull or permanent fittings may invalidate the particulars on this plate.

A REDUCTION IN MAXIMUM NUMBER OF PERSONS MUST BE MADE IN ADVERSE WEATHER CONDITIONS OR WHEN ON THE OPEN SEA.

- Design in compliance with AS1799-1 2009
- Structure in accordance with ISO 12215
- material:
  - Bottom, Chine, Transom & Stringers, 5mm 5083 aluminium.
  - Sides, Deck, Cuddy, etc. 4mm 5083 Aluminium
- Builders plate, Jig, Drawings & Photo CD included with kit.
- Bollards, Scuppers, Inspection port & Drain plug included in the kit.
- 5 days per week helpdesk available
- Customization available.
- Flotation foam & most fit out parts available, check catalogue for pricing.
- HIN number engraved in kit & and registered.

**www.platealloy.com**

